

SUMMARY TABLE OF MEASURES, PRODUCT LINES AND CHANGES

HEDIS 2014 Measures	Applicable to:			Changes to HEDIS 2014
	Commercial	Medicaid	Medicare	
General Guidelines for Data Collection and Reporting	✓	✓	✓	<ul style="list-style-type: none"> • Changed all coding table references to value sets. • Added a requirement to exclude members with a hospice benefit from MA HEDIS reporting in <i>General Guideline 7</i>. • Updated deadline dates in <i>General Guideline 9</i>. • Updated the measures eligible for rotation in <i>General Guideline 14</i>. • Updated submission dates and plan-lock date in <i>General Guideline 35</i>. • Revised <i>General Guideline 39</i> to reflect the updated requirements for supplemental data. • Clarified requirements in <i>General Guideline 40</i>. • Clarified that laboratory claims and data can only be used for codes in the <u>Lab Panel Value Set</u> (which only contains CPT codes) or for codes in value sets that contain LOINC codes in <i>General Guideline 46</i>. As a result of converting coding tables to value sets, fewer codes are eligible for use when reporting laboratory data in HEDIS 2014. Specifically, the following tables from HEDIS 2013 were split into multiple value sets and only some of the value sets contain LOINC codes: COL-A, CHL-B, CHL-D, CDC-K, MPM-A, PPC-C and PPC-E. • Added <i>General Guideline 47</i> and renumbered subsequent guidelines. • Revised <i>General Guideline 49</i> to reflect the presentation of codes in the value sets (formerly <i>General Guideline 48</i>). • Revised <i>General Guideline 52</i> to reflect how UB TOB codes will be listed in the value sets (formerly <i>General Guideline 51</i>).
Guidelines for Calculations and Sampling	✓	✓	✓	<ul style="list-style-type: none"> • Revised the requirements for <i>Drawing the sample prior to the reporting year</i> for claim-dependent denominators. • Revised Table 1: Sample Size Information for Hybrid Measures. • Updated step 5 in the Systematic Sampling Methodology for HEDIS 2014 reporting.
Effectiveness of Care				
Guidelines for Effectiveness of Care	✓	✓	✓	<ul style="list-style-type: none"> • Revised the requirements for “<i>Which services count?</i>” when reporting Effectiveness of Care measures.
Adult BMI Assessment	✓	✓	✓	<ul style="list-style-type: none"> • Removed coding tables and replaced all coding table references with value set references. • Clarified that ranges and thresholds do not meet numerator criteria.

Current Procedural Terminology © 2013 American Medical Association. All rights reserved.

HEDIS 2014 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2014 Measures	Applicable to:			Changes to HEDIS 2014
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Clarified that ranges and thresholds do not meet numerator criteria for BMI percentile. Clarified that members must receive educational materials during a face-to-face visit in order to meet criteria for the Hybrid Specification for the <i>Counseling for nutrition</i> and <i>Counseling for physical activity</i> indicators. Added that weight or obesity counseling count as numerator compliant for the Hybrid Specification for both the <i>Counseling for nutrition</i> and <i>Counseling for physical activity</i> indicators. Added a <i>Note</i> stating that a physical exam finding or observation alone is not compliant for <i>Counseling for physical activity</i>. Clarified in the <i>Note</i> section that services specific to an acute or chronic condition do not count toward the <i>Counseling for nutrition</i> and <i>Counseling for physical activity</i> indicators.
Childhood Immunization Status	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Immunizations for Adolescents	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Human Papillomavirus Vaccine for Female Adolescents	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Lead Screening in Children		✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Breast Cancer Screening	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised the continuous enrollment time frame. Revised the age criterion to women 50–74 years of age. Revised the numerator time frame.
Cervical Cancer Screening	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Added the hybrid reporting method for commercial plans. Added steps to allow for two appropriate screening methods of cervical cancer screening: cervical cytology performed every three years in women 21–64 years of age and cervical cytology/HPV co-testing performed every five years in women 30–64 years of age.

HEDIS 2014 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2014 Measures	Applicable to:			Changes to HEDIS 2014
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Non-Recommended Cervical Cancer Screening in Adolescent Females	✓	✓		<ul style="list-style-type: none"> • First-year measure.
Colorectal Cancer Screening	✓		✓	<ul style="list-style-type: none"> • Removed coding tables and replaced all coding table references with value set references.
Chlamydia Screening in Women	✓	✓		<ul style="list-style-type: none"> • Removed coding tables and replaced all coding table references with value set references.
Glaucoma Screening in Older Adults			✓	<ul style="list-style-type: none"> • Removed coding tables and replaced all coding table references with value set references.
Care for Older Adults			✓ (SNP only)	<ul style="list-style-type: none"> • Removed coding tables and replaced all coding table references with value set references. • Revised the definition for the medication list to clarify that the list may include prescription dosages and frequency. • Replaced “pain screening” with “pain assessment” throughout the specification. • Clarified that hearing, vision and speech must be assessed to meet the <i>Sensory ability</i> component in the Functional Status Assessment indicator. • Revised the medical record documentation requirements for the Pain Assessment indicator to indicate that any documentation of a pain assessment (including positive or negative findings) is acceptable. • Removed “Evidence of a pain management plan” as compliant for the Pain Assessment indicator.
Appropriate Testing for Children With Pharyngitis	✓	✓		<ul style="list-style-type: none"> • Removed coding tables and replaced all coding table references with value set references.
Appropriate Treatment for Children With Upper Respiratory Infection	✓	✓		<ul style="list-style-type: none"> • Removed coding tables and replaced all coding table references with value set references.
Avoidance of Antibiotic Treatment in Adults With Acute Bronchitis	✓	✓		<ul style="list-style-type: none"> • Removed coding tables and replaced all coding table references with value set references.
Use of Spirometry Testing in the Assessment and Diagnosis of COPD	✓	✓	✓	<ul style="list-style-type: none"> • Removed coding tables and replaced all coding table references with value set references.

HEDIS 2014 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2014 Measures	Applicable to:			Changes to HEDIS 2014
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Pharmacotherapy Management of COPD Exacerbation	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Use of Appropriate Medications for People With Asthma	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised the definition of <i>Inhaler dispensing event</i>.
Medication Management for People With Asthma	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised the definition of <i>Inhaler dispensing event</i>. Clarified that the PDC should be rounded to two decimal places, using the .5 rule, in step 4 of the numerator calculation.
Asthma Medication Ratio	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised the definition of <i>Inhaler dispensing event</i>.
Cholesterol Management for Patients With Cardiovascular Conditions	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised the time frame in the event/diagnosis criteria. Clarified hybrid requirements for the LDL-C Control (<100 mg/dL) indicator. Added a <i>Note</i> section.
Controlling High Blood Pressure	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Removed "Telephone call record" as an acceptable method for confirming the hypertension diagnosis. Clarified step 2 of the numerator to state when a BP reading is not compliant. Revised the Optional Exclusion criteria to allow exclusion of all members who had a nonacute inpatient encounter during the measurement year (previously the exclusion was limited to nonacute inpatient <i>admissions</i>).
Persistence of Beta-Blocker Treatment After a Heart Attack	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.

HEDIS 2014 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2014 Measures	Applicable to:			Changes to HEDIS 2014
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Comprehensive Diabetes Care	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Added canagliflozin to the description of “Sodium glucose cotransporter 2 (SGLT2) inhibitor” in Table CDC-A. Clarified requirements for using the <u>HbA1c Level 7.0–9.0 Value Set</u> for the HbA1c Control (<8.0%) indicator. Clarified hybrid requirements for the HbA1c Control indicators. Clarified medical record documentation requirements for a negative retinal or dilated eye exam. Clarified that a finding (e.g., normal, within normal limits) is acceptable for the LDL-C Screening indicator. Clarified hybrid requirements for the LDL-C Control (<100 mg/dL) indicator. Clarified step 2 of the numerator for BP Control indicators in the <i>Hybrid Specifications</i> to state when a BP reading is not compliant. Clarified in the <i>Note</i> section that organizations must use the most recent result for indicators that require it, regardless of data source.
Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Added tofacitinib to the description of “Janus kinase (JAK) inhibitor” in Table ART-C.
Osteoporosis Management in Women Who Had a Fracture			✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Use of Imaging Studies for Low Back Pain	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Antidepressant Medication Management	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Deleted the IESD. Revised the Negative Medication History time frame. Revised the IPSD definition. Revised the continuous enrollment criteria. Revised the anchor date. Revised the event/diagnosis steps.
Follow-Up Care for Children Prescribed ADHD Medication	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised dates in intake period and age criteria to account for a year that is not a leap year.

HEDIS 2014 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2014 Measures	Applicable to:			Changes to HEDIS 2014
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Follow-Up After Hospitalization for Mental Illness	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications		✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Diabetes Monitoring for People With Diabetes and Schizophrenia		✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Removed "Number of optional exclusions" from Table SMD-1: Data Elements for Diabetes Monitoring for People With Diabetes and Schizophrenia.
Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia		✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised the allowable gap criteria. Revised the event/diagnosis criteria to allow both facility and professional claims when identifying AMI or CABG events.
Adherence to Antipsychotic Medications for Individuals With Schizophrenia		✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Clarified in step 4 of the numerator calculation that the PDC should be rounded to two decimal places, using the .5 rule.
Annual Monitoring for Patients on Persistent Medications	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Medication Reconciliation Post-Discharge			✓ (SNP only)	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Clarified that members who remain in an acute or nonacute facility through December 1 of the measurement year are not included in the measure.
Potentially Harmful Drug-Disease Interactions in the Elderly			✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised drugs in all rates to align with AGS criteria (revised and renamed medication tables). Added bipolar disorder and seizure disorder to the Rate 1 required exclusions. Deleted dementia from the Rate 1 required exclusions. Added required exclusions to Rate 2. Replaced references of "chronic renal failure" to "chronic kidney disease" to account for chronic kidney disease stage 4 codes added to the additional eligible population criteria in Rate 3.

HEDIS 2014 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2014 Measures	Applicable to:			Changes to HEDIS 2014
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Use of High-Risk Medications in the Elderly			✓	<ul style="list-style-type: none"> Clarified calculation of average daily dose for elixirs and concentrates in <i>Calculating average daily dose</i>. Revised criteria for numerator 2 for both medications with days supply criteria and medications with average daily dose criteria. Clarified that organizations may not round when calculating the average daily dose.
Medicare Health Outcomes Survey			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 6: Specifications for the Medicare Health Outcomes Survey</i>.
Fall Risk Management			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 6: Specifications for the Medicare Health Outcomes Survey</i>.
Management of Urinary Incontinence in Older Adults			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 6: Specifications for the Medicare Health Outcomes Survey</i>.
Osteoporosis Testing in Older Women			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 6: Specifications for the Medicare Health Outcomes Survey</i>.
Physical Activity in Older Adults			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 6: Specifications for the Medicare Health Outcomes Survey</i>.
Aspirin Use and Discussion	✓	✓		<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 3: Specifications for Survey Measures</i>.
Flu Vaccinations for Adults Ages 18-64	✓			<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 3: Specifications for Survey Measures</i>.
Flu Vaccinations for Adults Ages 65 and Older			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 3: Specifications for Survey Measures</i>.
Medical Assistance With Smoking and Tobacco Use Cessation	✓	✓	✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 3: Specifications for Survey Measures</i>.

HEDIS 2014 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2014 Measures	Applicable to:			Changes to HEDIS 2014
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Pneumococcal Vaccination Status for Older Adults			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 3: Specifications for Survey Measures</i>.
Access/Availability of Care				
Adults' Access to Preventive/Ambulatory Health Services	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Children's and Adolescents' Access to Primary Care Practitioners	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Annual Dental Visit		✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Clarified in the <i>Initiation of AOD Treatment</i> numerator that an IESD and initiation visit occurring on the same day must be with different providers.
Prenatal and Postpartum Care	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Removed <i>Definition</i> section. Moved steps to identify the eligible population (previously steps 1 and 2 under the <i>Denominator</i> section in the <i>Administrative specification</i>) to the <i>Eligible Population</i> section. Removed references to "family practitioner" and "midwife" because these practitioners are included in the definitions of <i>PCP</i> and <i>OB/GYN and other prenatal care practitioners</i>, respectively. Consolidated the steps for identifying numerator events. Consolidated four decision rules (formerly in Table PPC-C) into three decision rules.
Call Answer Timeliness	✓	✓	✓	<ul style="list-style-type: none"> No changes to this measure.
Experience of Care				
CAHPS Health Plan Survey 5.0H, Adult Version	✓	✓		<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 3: Specifications for Survey Measures</i>.
CAHPS Health Plan Survey 5.0H, Child Version	✓	✓		<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2014, Volume 3: Specifications for Survey Measures</i>.

HEDIS 2014 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2014 Measures	Applicable to:			Changes to HEDIS 2014
	Commercial	Medicaid	Medicare	
Experience of Care				
Children With Chronic Conditions	✓	✓		<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes for the measure are contained in <i>HEDIS 2014, Volume 3: Specifications for Survey Measures</i>.
Utilization and Relative Resource Use				
Frequency of Ongoing Prenatal Care		✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised example in step 2 of the numerator to account for a year that is not a leap year.
Well-Child Visits in the First 15 Months of Life	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised example in continuous enrollment to account for a year that is not a leap year. Clarified that visits must be on different dates of services for the numerators in the <i>Administrative Specification</i>.
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Adolescent Well-Care Visits	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Frequency of Selected Procedures	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Deleted MS-DRG codes from the measure. To standardize and reduce the total number of value sets used in HEDIS, the same value sets are used to identify mastectomy in this measure and the <i>Breast Cancer Screening (BCS)</i> measure. The value sets for unilateral mastectomy and bilateral modifier contain obsolete codes (because of the BCS measure's long look-back period), which are expected to have no impact on the FSP measure (because of its one-year look-back period).
Ambulatory Care	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.

HEDIS 2014 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2014 Measures	Applicable to:			Changes to HEDIS 2014
	Commercial	Medicaid	Medicare	
Utilization and Relative Resource Use				
Inpatient Utilization—General Hospital/ Acute Care	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised the measure so that organizations identify all acute inpatient discharges (regardless of principal diagnosis code or DRG) and then apply required exclusions (based on diagnoses or DRGs not intended to be included in the measure). Removed inclusion codes (formerly Table IPU-A) from the measure and added required exclusion codes (IPU Exclusions Value Set). As a result, discharges previously included in the measure based on ungroupable DRGs, with a principal diagnosis code of mental health or chemical dependency, are no longer included in the measure. Removed the required exclusion for members with a principal diagnosis of poisoning in combination with a secondary diagnosis of chemical dependency.
Identification of Alcohol and Other Drug Services	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Mental Health Utilization	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Antibiotic Utilization	✓	✓	✓	<ul style="list-style-type: none"> No changes to this measure.
Plan All-Cause Readmissions	✓		✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Clarified that the average adjusted probability and variance calculations should be rounded to four decimal places, using the .5 rule.
Guidelines for Relative Resource Use Measures	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised required exclusion criteria: ESRD and kidney transplants are no longer required exclusions for RDI and RCA. Revised Guideline 1 to indicate that organizations must report MMA and AMR (in addition to ASM) when reporting the RAS measure.
Relative Resource Use for People With Diabetes	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Replaced “MM” with “MY” in Table RDI-C-1/2/3.
Relative Resource Use for People With Cardiovascular Conditions	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised the time frame in the event/diagnosis criteria. Replaced “MM” with “MY” in Table RCA-C-1/2/3.

HEDIS 2014 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2014 Measures	Applicable to:			Changes to HEDIS 2014
	Commercial	Medicaid	Medicare	
Utilization and Relative Resource Use				
Relative Resource Use for People With Hypertension	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Removed the optional exclusion for members who had a nonacute inpatient admission during the measurement year. Replaced "MM" with "MY" in Table RHY-C-1/2/3.
Relative Resource Use for People With COPD	✓	✓	✓	<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Replaced "MM" with "MY" in Table RCO-C-1/2/3.
Relative Resource Use for People With Asthma	✓	✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references. Revised the <i>Note</i> in the <i>Eligible Population</i> to indicate that organizations must report MMA and AMR (in addition to ASM) when reporting this measure. Replaced "MM" with "MY" in Table RAS-C-1/2.
Health Plan Descriptive Information				
Board Certification	✓	✓	✓	<ul style="list-style-type: none"> No changes to this measure.
Enrollment by Product Line	✓	✓	✓	<ul style="list-style-type: none"> No changes to this measure.
Enrollment by State	✓	✓	✓	<ul style="list-style-type: none"> No changes to this measure.
Language Diversity of Membership	✓	✓	✓	<ul style="list-style-type: none"> No changes to this measure.
Race/Ethnicity Diversity of Membership	✓	✓	✓	<ul style="list-style-type: none"> Clarified in the <i>Note</i> below Table RDM-C that the <i>Unknown</i> category only includes members for whom the organization did not obtain race/ethnicity information or from whom the organization did not receive a "Declined" response.
Weeks of Pregnancy at Time of Enrollment		✓		<ul style="list-style-type: none"> Removed coding tables and replaced all coding table references with value set references.
Total Membership	✓	✓	✓	<ul style="list-style-type: none"> No changes to this measure.